CORA BIKE RACK

PRODUCT SPECIFICATION SHEET



E3DT SERIES

E3DT-CBR DYNAMIC UPPER TIER STATIC LOWER TIER

A Dynamic upper tier combined with a static lower tier. Upper tier includes gas assist lift for ease of use and is available in alternating heights.

Lower tier uses the CBR bike rail.

CBR Series bike parking rails are designed to support the bike in a stable position and accommodate up to 2 bikes.



Capacity

E3ST-H: 1 bike

E3ST-L: 1 bike

CBR1B: 2 bikes

Construction

Heavy duty high quality steel

Fixings

M10 anchor bolts with security nuts

Finishes

• CBR

In stock - galvanised

In stock - 316 stainless steel with electropolish

Option - 304 stainless steel

Option - colour powder coat (Cora standard colour range)

• E3ST-H and E3ST-L

Galvanised with powder coated accents on handles Option - colour powder coat (Cora standard colour range)

Assembly


 Supplied partially assembled for assembly and mounting on site

Compliance


Rack is AS2890.3 (2015) compliant

CORA BIKE RACK

PRODUCT SPECIFICATION SHEET




NESTED LAYOUT



E3DT-CBR GROUND MOUNT LAYOUT GUIDE

For specific assembly and installation instructions relating to E3DT-CBR series racks, please refer to individual instruction information sheets.


Racks should not be installed, based on the information on this sheet alone.




CORA BIKE RACK

PRODUCT SPECIFICATION SHEET


SINGLE LEVEL LAYOUT





Front view

Top view









E3DT-CBR GROUND MOUNT LAYOUT GUIDE

For specific assembly and installation instructions relating to E3DT-CBR series racks, please refer to individual instruction information sheets.

Racks should not be installed, based on the information on this sheet alone.







PH 1800 249 878

sales@cora.com.au www.cora.com.au